



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

DCG Partnership I, Ltd.
4170A South Main Street
Pearland, TX 77581

Fulfills the requirements of

ISO/IEC 17043:2010

In the field of

PROFICIENCY TESTING PROVIDER

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'R.D.L.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 16 November 2024

Certificate Number: AP-3059



This proficiency testing provider is accredited in accordance with the recognized International Standard ISO/IEC 17043:2010.
This accreditation demonstrates technical competence for a defined scope and the operation of a proficiency testing provider quality management system.

SCOPE OF ACCREDITATION TO ISO/IEC 17043:2010

DCG Partnership I, Ltd.
4170A South Main Street
Pearland, TX 77581
Russell Johnston rjohnston@dcgpartnership.com

PROFICIENCY TEST PROVIDER

Valid to: **November 16, 2024**

Certificate Number: **AP-3059**

Chemical

Description of Item	Properties Measured	Range of Property (if Needed)	Procedure for Establishing Assigned Value
Reference Gas and Reference Gas Mixtures	Composition	0 to 100%	Known Values Reference Values Certified Reference Values Consensus Values from Participants
Reference Gas and Reference Gas Mixtures	Speciated and Total Sulfur	0 to 50%	Known Values Reference Values Certified Reference Values Consensus Values from Participants
Organic Reference Materials and Petroleum Products	Sulfur, Nitrogen, Chloride	0 to 20%	Known Values Reference Values Certified Reference Values Consensus Values from Participants
Organic Reference Materials and Petroleum Products	Physical, Chemical, Composition	0 to 100%	Known Values Reference Values Certified Reference Values Consensus Values from Participants

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AP-3059.



R. Douglas Leonard Jr., VP, PILR SBU